

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2337	370/468.ccls. and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2009/09/28 15:38
L2	2708	370/252.ccls. and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2009/09/28 15:39
S1	1	("6546014").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/27 15:50
S2	0	370/230.1.ccls and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 15:51
S3	276	370/230.1.ccls. and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 15:51
S4	1	(US-6546014-\$).did.	USPAT	OR	OFF	2008/02/27 15:52
S5	0	S1 and (grant\$2) and (fragment \$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 15:53
S6	1	S1 and (grant\$2)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 15:53
S7	0	370/395.4.ccls and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 15:54
S8	0	370/395.42.ccls and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 15:55

S9	238	370/395.42.ccls. and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 15:55
S10	472	370/395.4.ccls. and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 15:55
S11	1	S1 and (grant\$2) and (packet\$2 or frame\$2 or schedul\$5 or order\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 16:00
S12	2013	370/412.ccls. and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 16:10
S13	445	370/449.ccls. and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 16:10
S14	656	370/458.ccls. and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 16:11
S15	547	370/429.ccls. and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 16:11
S16	1	(US-6546014-\$).did.	USPAT	OR	OFF	2008/02/27 18:14
S17	1	S16 and (packet\$2)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 18:14
S18	1	S16 and (fragment\$6)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 18:52
S19	1	("6546014").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/27 21:14
S20	1	S19 and (queue\$4 or buffer\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 21:14
S21	20	(onn near4 haran)".in"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 21:20

S22	20	(onn near4 haran).in.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 21:20
S23	13	(onn near4 haran).in.	US-PGPUB; USPAT	OR	OFF	2008/02/27 21:23
S24	0	("2005/0249497").URPN.	USPAT	OR	OFF	2008/02/27 22:23
S25	1	(arifl near4 maislos).in.	US-PGPUB; USPAT	OR	OFF	2008/02/27 22:55
S26	1	(barak near4 lifshitz).in.	US-PGPUB; USPAT	OR	OFF	2008/02/27 22:55
S27	5092	(queues with buffer\$2) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 23:46
S28	2230	(queues with buffer\$2) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 23:46
S29	204	(queues with buffer\$2) same (queue\$2 with (size or bytes)) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 23:47
S30	21	(queue\$2 with (size or bytes)) and (pon or epon or apon) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 23:49
S31	19	(queue\$2 with (size or bytes)) and (pon or epon) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 23:52
S32	4	(queue\$2 with (size or bytes)) same (onu\$4) and (pon or epon) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 23:53

S33	4	(queue\$2 with (size or bytes)) same (onu\$4) and (pon or epon) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") not S32	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 23:54
S34	22	(queue\$2) same (onu\$4) and (pon or epon) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/27 23:55
S35	4	(US-20030137975-\$ or US-20030179769-\$).did. or (US-6546014-\$ or US-6519255-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/02/28 16:06
S36	22	(queue\$2) same (onu\$4) and (pon or epon) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/28 16:07
S37	3	S35 and S36	US-PGPUB; USPAT	OR	OFF	2008/02/28 16:07
S38	23	S35 or S36	US-PGPUB; USPAT	OR	OFF	2008/02/28 16:07
S39	21	S38 and (priorit\$4 or class\$4)	US-PGPUB; USPAT	OR	OFF	2008/02/28 16:08
S40	11	"US 6229788"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2008/02/28 18:21
S41	1	(US-20030179769-\$).did.	US-PGPUB	OR	OFF	2008/02/28 19:46
S42	1	S41 and (queue\$4 or buffer\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/28 19:46
S43	1	(US-6519255-\$).did.	USPAT	OR	OFF	2008/02/29 01:42
S44	1	S43 and (priorit\$4 or class)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/29 01:42
S45	1	S43 and (priorit\$4 or class\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/29 01:42

S46	45	(resequenc\$4 or reorder\$5) with fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 10:52
S47	656	(sequenc\$4 or order\$5) with fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 11:08
S48	15	(sequenc\$4 or order\$5) with (avoid\$5 or prevent\$5 or stop\$4) near3 fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 11:12
S49	16	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5) same (avoid\$5 or prevent\$5 or stop\$4) near3 fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 12:19
S50	749	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) same fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 12:22

S51	512	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) with fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 12:23
S52	60622	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) same (avoid\$5 or prevent\$5 or stop\$5) fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 12:23
S53	16	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) same (avoid\$5 or prevent\$5 or stop\$5) near3 fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 12:25
S54	668	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) same fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 12:34
S55	1	("6205154").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/06 13:26

S56	2552933	"1" and (packet\$2 or data)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/06 13:29
S57	1	S55 and (packet\$2 or data)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/06 13:30
S58	25165	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 18:40
S59	2805	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) same (grant\$2 or allocat\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 18:44
S60	1235	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) with (grant\$2 or allocat\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 18:44

S61	163	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) with (grant\$2) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 18:52
S62	2	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (resequenc\$5 or reorder\$5) with (grant\$2) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 18:53
S64	6	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2 not fragment\$5) or grain or message\$2) near4 (resequenc\$5 or reorder\$5) same grant\$2 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 20:09
S65	57	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2 not fragment\$5) or grain or message\$2) near4 (resequenc\$5 or reorder\$5) with (assign\$5 or allocat\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 20:40
S66	45	(resequenc\$5 or reorder\$5) with (fragment\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 21:31

S67	31	(sequenc\$4 or order\$5) same (avoid\$5 or prevent\$5 or stop\$4) near3 fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 21:51
S68	0	(resequenc\$4 or reorder\$5) same (avoid\$5 or prevent\$5 or stop\$4) near3 fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 22:18
S69	16	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2 not fragment\$5) or grain or message\$2) near4 (resequenc\$5 or reorder\$5) with (allocat\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 22:44
S70	35	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2 not fragment\$5) or grain or message\$2) near4 (resequenc\$5 or reorder\$5) with (bandwidth) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 22:45
S71	0	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) with bandwidht near2 (allocat\$5 or assign\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/07 07:30

S72	139	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) with bandwidth near2 (allocat\$5 or assign\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/07 07:31
S73	4	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (resequenc\$5 or reorder\$5) with bandwidth near2 (allocat\$5 or assign\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/07 07:32
S74	0	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (resequenc\$5 or reorder\$5 not in order) with bandwidth near2 (allocat\$5 or assign\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 07:34
S75	135	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5 not (in order)) with bandwidth near2 (allocat\$5 or assign\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 07:34

S76	28	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (resequenc\$5 or reorder\$5) same (scheduler\$2) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 07:37
S77	629	(hid\$3 near3 (buffer\$2 or queue \$2)) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 09:11
S78	106	((hide or hides or hiding) near3 (buffer\$2 or queue\$2)) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 09:11
S79	344	((hide or hides or hiding) with (buffer\$2 or queue\$2)) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 09:12
S80	1599	((no or "not") near3 (updat\$5 or inform\$4 or signal\$5) near6 (buffer\$2 or queue\$2)) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 09:15
S81	6	((no or "not") near3 (updat\$5 or inform\$4 or signal\$5) near6 (buffer\$2 or queue\$2)) and (pon or epon or gpon or onu or olt) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 09:17

S82	224	((no or "not") near3 (updat\$5 or inform\$4 or signal\$5) near6 (buffer\$2 or queue\$2)) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 09:20
S83	43	((no or "not") near3 (updat\$5) near6 (buffer\$2 or queue\$2)) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 09:27
S84	2	((no or "not") near3 (updat\$5 or inform\$4 or signal\$5) near6 (buffer\$2 or queue\$2) near3 status) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 09:29
S85	1	((hide or hides or hiding) with (buffer\$2 or queue\$2) near2 status) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 09:30
S86	1	(US-20050175014-\$).did.	US-PGPUB	ADJ	OFF	2009/05/04 14:45
S87	1	S86 and (bandwidth\$4 or capacit\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/04 14:46
S88	1640	((no or "not") near3 (updat\$5 or inform\$4 or signal\$5) near6 (buffer\$2 or queue\$2)) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2009/09/23 17:52

9/ 28/ 2009 3:39:36 PM

C:\ Documents and Settings\ kcehic\ Desktop\ apps\ 10525505\ 505.wsp